



**SAFETY DATA SHEET**  
RBI SUPER LAVTSKUMMENDE

Page: 1  
Compilation date: 15th May 2015  
Revision date: 10th January 2017  
Revision No: 1

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product name: RBI SUPER LAVTSKUMMENDE  
Product code: BG

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of substance / mixture: A non-caustic, highly versatile hard surface cleaner for use in applications where low foaming properties are an essential requirement.

**1.3. Details of the supplier of the safety data sheet**

Company name: RBI A/S  
Sorenskriver Bullsgt.32  
6002 ÅLESUND  
Norway  
Tel: 70 10 04 66  
Fax: 70 10 05 94  
Email: post@rbi-as.no

**1.4. Emergency telephone number**

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

Classification under CLP: Skin Corr. 1B: H314  
Most important adverse effects: Causes severe skin burns and eye damage.

**2.2. Label elements**

Label elements:  
Hazard statements: H314: Causes severe skin burns and eye damage.  
Hazard pictograms: GHS05: Corrosion



Signal words: Danger  
Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.  
P280: Wear protective gloves/protective clothing/eye protection.  
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**2.3. Other hazards**

PBT: This product is not identified as a PBT/vPvB substance.

[cont...]

**SAFETY DATA SHEET**  
RBI SUPER LAVTSKUMMENDE

Page: 2

**Section 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous ingredients:**

SODIUM XYLENESULPHONATE - REACH registered number(s): 01-2119513350-56-0000

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-090-9	1300-72-7	-	Eye Irrit. 2: H319	1-5%

C13-15 ALKYL ETHOXYLATE BUTOXYLATE - REACH registered number(s): 02-2119552554-37-0000

-	111905-53-4	-	Acute Tox. 4: H302; Eye Irrit. 2: H319; Aquatic Chronic 3: H412	1-5%
---	-------------	---	--	------

SODIUM METASILICATE PENTAHYDRATE - REACH registered number(s): 01-2119449811-37-0000

229-912-9	10213-79-3	-	Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; STOT SE 3: H335	1-5%
-----------	------------	---	--	------

SODIUM SILICATE - REACH registered number(s): 01-2119448725-31-0000

215-678-4	1344-09-8	-	Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT SE 3: H335	1-5%
-----------	-----------	---	---	------

D-GLUCOPYRANOSE, OLIGOMERS, 2-ETHYLHEXYL GLYCOSIDES - REACH registered number(s): 01-2119488530-36-0000

500-220-1	68515-73-1	-	Eye Dam. 1: H318	1-5%
-----------	------------	---	------------------	------

**Section 4: First aid measures**

**4.1. Description of first aid measures**

- Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.
- Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
- Ingestion:** Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.
- Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

**4.2. Most important symptoms and effects, both acute and delayed**

- Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
- Eye contact:** Corneal burns may occur. May cause permanent damage.
- Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.
- Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

[cont...]

**SAFETY DATA SHEET**  
RBI SUPER LAVTSKUMMENDE

Page: 3

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

#### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

### Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

**Workplace exposure limits:** No data available.

#### DNEL/PNEC Values

**DNEL / PNEC** No data available.

[cont...]

**SAFETY DATA SHEET**  
RBI SUPER LAVTSKUMMENDE

Page: 4

**8.2. Exposure controls**

- Engineering measures:** Ensure there is sufficient ventilation of the area.
- Respiratory protection:** None required for normal use. In case of an emergency situation, vacate the area and report the incident to the appropriate person(s).
- Hand protection:** Impermeable gloves.
- Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.
- Skin protection:** Impermeable protective clothing.

**Section 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

- |  |  |
|--|--|
| <b>State:</b> Liquid                                 |  |
| <b>Colour:</b> Blue                                  |  |
| <b>Odour:</b> Ocean Surf                             |  |
| <b>Evaporation rate:</b> Negligible                  |  |
| <b>Oxidising:</b> Non-oxidising (by EC criteria)     |  |
| <b>Solubility in water:</b> Miscible                 |  |
| <b>Viscosity:</b> Non-viscous                        |  |
| <b>Boiling point/range °C:</b> No data available.    | <b>Melting point/range °C:</b> No data available.      |
| <b>Flammability limits %: lower:</b> Not applicable. | <b>upper:</b> Not applicable.                          |
| <b>Flash point °C:</b> Not applicable.               | <b>Part.coeff. n-octanol/water:</b> No data available. |
| <b>Autoflammability °C:</b> Not applicable.          | <b>Vapour pressure:</b> No data available.             |
| <b>Relative density:</b> 1.05                        | <b>pH:</b> 12.0 @ 10% Soln.                            |
| <b>VOC g/l:</b> No data available.                   |  |

**9.2. Other information**

**Other information:** No data available.

**Section 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity:** Stable under recommended transport or storage conditions.

**10.2. Chemical stability**

**Chemical stability:** Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

**10.4. Conditions to avoid**

**Conditions to avoid:** Heat.

**10.5. Incompatible materials**

**Materials to avoid:** Strong oxidising agents. Strong acids.

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** In combustion emits toxic fumes.

**Section 11: Toxicological information**

[cont...]

**SAFETY DATA SHEET**  
RBI SUPER LAVTSKUMMENDE

Page: 5

**11.1. Information on toxicological effects**

**Relevant hazards for product:**

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

**Symptoms / routes of exposure**

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Section 12: Ecological information**

**12.1. Toxicity**

**Hazardous ingredients:**

**D-GLUCOPYRANOSE, OLIGOMERS, 2-ETHYLHEXYL GLYCOSIDES**

ALGAE	72H EC50	1543	mg/l
Daphnia magna	72H EC50	557	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	558	mg/l

**12.2. Persistence and degradability**

**Persistence and degradability:** Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No bioaccumulation potential.

**12.4. Mobility in soil**

**Mobility:** Readily absorbed into soil.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Other adverse effects:** Negligible ecotoxicity.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

**SAFETY DATA SHEET**  
RBI SUPER LAVTSKUMMENDE

Page: 6

**Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Specific regulations:** European Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures (known as 'CLP'). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 aligned with ADR. Workplace Exposure Limits EH40.2005 (2nd edition published 2011). REACH: Regulation 1907/2006/EC effective June 1st, 2007. The raw materials used in this preparation have been pre-registered in accord with the requirements of REACH. Dangerous Preparations Directive (1999/45/EC).

**15.2. Chemical Safety Assessment**

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

**Section 16: Other information**

**Other information**

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** H290: May be corrosive to metals.  
H302: Harmful if swallowed.  
H314: Causes severe skin burns and eye damage.  
H315: Causes skin irritation.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.